

Everything in good shape

HERMA labels for laser printers,
inkjet printers and copiers



Professional labels for every application

HERMA has the optimum solution whatever the application, whether addressing, labelling, filing or lettering. In all shapes, colours and formats. And for all printers. You'll find everything you need for perfect organisation. In top quality, Made in Germany.



Clear and simple – that's our product range structure, built around HERMA PREMIUM and HERMA SPECIAL.

Clearly arranged according to applications: with a colour code system for finding products fast. Simple system: with application icons and illustrations on every package to help you find the right label quickly.

Contents

HERMA PREMIUM

The comprehensive range of white labels. In superior HERMA quality.

HERMA SPECIAL

Labels for special applications, in special materials, special shapes and with special adhesive properties.

HERMA PREMIUM

Universal labels and address labels	7-9
-------------------------------------	-----

HERMA SPECIAL – Addressing/shipping

Repositionable address and shipping labels	11
Labels made of recycled paper	11
Transparent address labels	12
Inkjet address labels	12
Weatherproof shipping labels	12
Labels for shipping and warning notes	12
Shipping label and delivery note	12

HERMA SPECIAL – Filing

File spine labels, permanent	13-14
File spine labels, removable (Movables® technology)	14
File spine labels made of recycled paper, with the Blue Angel ecolabel	15
Inkjet file spine labels	15
Spine insert labels (non-adhesive)	15
Tab labels (Movables® technology)	15
Inscription strips, removable (Movables® technology)	15

HERMA SPECIAL – Data storage

CD labels	16
CD cover labels	16
DVD/Blu-ray labels, CD labeller	16
CD and DVD cover inlays	17
Video labels, slide labels, diskette labels, ZIP labels	17

HERMA SPECIAL – Identification

Removable labels (Movables® technology)	18-19
Inkjet labels, photo-quality	20
Labels made of recycled paper, with the Blue Angel ecolabel	21
Signs (for indoors and outdoors)	22-23
Pricing / product labelling	24-25
Signalling/information labels (luminous/coloured/special shapes)	26-27
Decorative labels (transparent, crystal-clear, gold, silver, glossy)	28-29
Outdoor/hard-wearing/safety (film, impregnated, strong adhesive)	30-32
Other labels for identification purposes (name/textile labels, inserts for name badges, correction/covering labels, deep-freeze labels)	33

HERMA label software

Label Designer plus	34
Labelling sets for CDs and files	34
Software solutions	35

Designing your labels

Thinking of tomorrow – today ...

HERMA labels make an active contribution to environmental protection

✓ **Excellent environmental characteristics**

Much of our label material is PEFC-certified and derived entirely from sustainable forestry. HERMA uses only chlorine-free bleached paper and water-based, solvent-free adhesives.



Promotes sustainable forest management.

✓ **HERMA's production facilities have low energy and space requirements**

With one of the most advanced coating facilities, HERMA is a pioneer in terms of product spectrum, production quality and environmental protection. Our highly efficient, energy-saving warehousing and conveyor systems are closely networked with the coating facility, require only half as much space and cut transport distances to a minimum. By using heat recovery in the production of adhesive materials we are able to make lasting cuts in our energy requirements.



✓ **HERMA labels are 100% recyclable as waste paper**

We use only solvent-free adhesives and label papers made from chlorine-free bleached cellulose. For years, HERMA has routinely used cardboard made from recycled material.



✓ **Awarded the Blue Angel ecolabel**

HERMA labels made from recycled paper have the highly regarded Blue Angel ecolabel, which signifies excellent environmental and quality standards.



✓ **HERMA assumes its responsibility for people and for nature**

Besides being committed to the environment, we recognise our responsibility towards our fellow human beings. For example, we support a number of community service projects and initiatives. And by training large numbers of apprentices we invest not only in the HERMA brand but in Germany's future as a place to live and work.



✓ **HERMA PREMIUM labels are produced with carbon-neutral processes**

By giving lasting support to one of myclimate's climate projects we offset greenhouse gas emissions, thereby protecting the climate.



✓ **Quality Made in Germany**

We are committed to Germany as a production base. That's because the renowned quality of HERMA products depends on state-of-the-art facilities and highly trained employees.



Made in Germany


Brilliant. Sharp contours. Smooth.

Innovative technologies for perfect results




HERMA labels meet the vast array of stringent quality standards required by printers and users:

Sophisticated product features



No adhesive deposits thanks to all-round protective edge.



No paper dust thanks to cleanly cut edges on all sides.



Trouble-free running thanks to optimum flatness and high flexibility.

Processing reliability guaranteed



Thorough quality control – from the raw materials through to the end product.



Climate-proof package: protects the contents from harm caused by moisture and temperature.

The right label for every use



- For all PC printers and copiers
- For photo-quality inkjet printing
- For high-speed laser printers

Excellent printing results on colour laser printers

With their high-resolution quality, HERMA labels ensure superior printing results on colour laser printers and colour copiers.

Tested and approved.

HERMA labels are regularly subjected to rigorous tests on all common printers. We make every effort to ensure smooth running and top-quality printing results. Leading printer manufacturers honour our high quality with approval certificates and recommendations.

HERMA PREMIUM – HERMA's best

Top quality in all formats

HERMA PREMIUM labels are visibly whiter, more opaque and made from high-quality, extra-strong paper. For brilliant, razor-sharp print-outs and jam-free printing on all PC printers and copiers.

✓ **Produced the sustainable way**

The paper used for HERMA PREMIUM labels is 100% PEFC-certified and comes from sustainably managed forests.



✓ **Carbon-neutral**

In addition, any CO₂ emissions are offset by our climate protection partner, myclimate. Myclimate projects meet the highest standards (the WWF Gold Standard is one example). With this commitment, we are actively lowering CO₂ emissions.



✓ **Whiter than ever before**

HERMA PREMIUM labels are visibly whiter – and completely chlorine bleach-free. The top-quality label paper guarantees brilliant, razor-sharp print-outs on all PC printers and copiers – whether black-and-white or colour.

✓ **Perceptibly thicker**

Perceptibly thicker materials make HERMA PREMIUM labels easier to peel off and stick on than ever before. Moreover, the extra-strong laminate gives the labels high-speed capability, while absolute flatness ensures jam-free printing on all laser, inkjet and high-speed printers.

✓ **Visibly more opaque**

HERMA PREMIUM labels are made from thicker paper, which makes them more opaque than ever before. Virtually nothing shows through.



HERMA PREMIUM:

Absolutely reliable, top-quality printing results, firmly adhesive, kind to the environment and sustainable

HERMA PREMIUM sets technology and quality standards in label manufacturing. The extra-strong bonding to liner makes the labels suitable for high-speed printing, while optimum flatness prevents jamming whatever the PC printer or copier.

The extremely high-white paper produces brilliant, sharp print-outs, in black-and-white and colour. HERMA PREMIUM label paper is acid-free, making it age-resistant and archive-safe, while the adhesive is free from plasticizers and solvents.



Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	10 sheets		20/25 sheets		100 sheets		200 sheets		Printer compatibility			
						Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
PREMIUM labels for general use and addressing																	
25.4 x 10.0	white	☐	▲	189				4725	4333					●	●	●	●
25.4 x 16.9	white	☐	▲	112				2800	4334					●	●	●	●
35.6 x 16.9	white	☐	▲	80				2000	4336					●	●	●	●
38.1 x 21.2	white		☐	▲	65	650	8629	1625	5027	6500	4270	13000	4606	●	●	●	●
48.3 x 16.9	white		☐	▲	64					6400	4271	12800	4607	●	●	●	●
48.3 x 25.4	white		☐	▲	44			1100	5051	4400	4272	8800	4608	●	●	●	●
48.3 x 33.8	white ^{1a)}		☐	▲	32	320	8643	800	4200					●	●	●	●
48.5 x 25.4	white		☐	▲	40			1000	4357	4000	4474			●	●	●	●
52.5 x 21.2	white			☐	▲	56		1400	5052	5600	4273	11200	4609	●	●	●	●
52.5 x 29.7	white			☐	▲	40				4000	4461	8000	4610	●	●	●	●
63.5 x 33.9	white, ideal for C6 envelope	☐	☐	▲	24					2400	4645			●	●	●	●
63.5 x 38.1	white, ideal for C6 envelope	☐	☐	▲	21	210	8632	525	5029	2100	4677			●	●	●	●
63.5 x 46.6	white, ideal for C6 envelope	☐	☐	▲	18					1800	4265			●	●	●	●
63.5 x 72.0	white	☐	☐	▲	12					1200	4266			●	●	●	●
64.6 x 33.8	white		☐	▲	24					2400	4262	4800	4632	●	●	●	●
66.0 x 25.4	white		☐	▲	33					3300	4275	6600	4613	●	●	●	●
66.0 x 33.8	white ^{1b)}		☐	▲	24	240	8633	600	5053	2400	4670	4800	4614	●	●	●	●
70.0 x 16.9	white			☐	▲	51				5100	4459	10200	4611	●	●	●	●
70.0 x 25.4	white			☐	▲	33				3300	4455			●	●	●	●
70.0 x 29.7	white			☐	▲	30				3000	4456	6000	4612	●	●	●	●
70.0 x 32.0	white			☐	▲	27				2700	4450			●	●	●	●

25.4 x 10.0	25.4 x 16.9	35.6 x 16.9	38.1 x 21.2	48.3 x 16.9	48.3 x 25.4	48.3 x 33.8
48.5 x 25.4	52.5 x 21.2	52.5 x 29.7	63.5 x 33.9	63.5 x 38.1	63.5 x 46.6	63.5 x 72.0
64.6 x 33.8	66.0 x 25.4	66.0 x 33.8	70.0 x 16.9	70.0 x 25.4	70.0 x 29.7	70.0 x 32.0

Print labels with a colour laser printer? Why not?

The printing result depends on the quality of the labels and on having the correct printer settings.

We recommend setting the printer driver or printer panel for "heavy materials" (or, depending on the printer, "thick paper", "thick stock", "cardboard" or "labels"). It is also wise to put the labels in the single-sheet feed or the stack feed.


- ☐ Sheet with border on all sides
- ☐ Rounded corners
- ☐ Label paper made of PEFC-certified raw materials

Suitable for INTERNETMARKE®:
^{1a)} without design, without address
^{1b)} without recipient's address
^{1c)} with recipient's address

				10 sheets		20/25 sheets		100 sheets		200 sheets		Printer compatibility			
Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
PREMIUM labels for general use and addressing															
70.0 x 33.8	white		▲	24				2400	4263			●	●	●	●
70.0 x 35.0	white		▲	24				2400	4429			●	●	●	●
70.0 x 36.0 *	white ^{1b)}		▲	24	240 8638	600	4360	2400	4453	4800	4633	●	●	●	●
70.0 x 37.0	white ^{1b)}		▲	24	240 8644	600	4390	2400	4464	4800	4615	●	●	●	●
70.0 x 41.0	white ^{1b)}		▲	21				2100	4473	4200	4634	●	●	●	●
70.0 x 42.0 **	white ^{1b)}		▲	21		525	4361	2100	4451			●	●	●	●
70.0 x 42.3	white ^{1b)}		▲	21	210 8634	525	5054	2100	4668	4200	4616	●	●	●	●
70.0 x 50.8	white		▲	15		375	5055	1500	4278	3000	4618	●	●	●	●
70.0 x 67.7	white		▲	12				1200	4279	2400	4617	●	●	●	●
70.0 x 297.0	white		▲	3				300	4657			●	●	●	●
78.7 x 139.7	white, ideal for packages ^{1c)}	☐	▲	4				400	4472			●	●	●	●
83.8 x 50.8	white, approx. business card size	☐	▲	10		250	5028					●	●	●	●
88.9 x 33.8	white, ideal for DL envelope	☐	▲	16				1600	4479			●	●	●	●
88.9 x 46.6	white, ideal for DL envelope	☐	▲	12				1200	4666			●	●	●	●
96.0 x 50.8	white, ideal for C4/C5 envelope ^{1c)}	☐	▲	10				1000	4667			●	●	●	●
97.0 x 33.8	white	☐	▲	16				1600	4672	3200	4619	●	●	●	●
97.0 x 42.3	white ^{1c)}	☐	▲	12	120 8628	300	5056	1200	4669	2400	4623	●	●	●	●
97.0 x 67.7	white ^{1c)}	☐	▲	8		200	4359	800	4280	1600	4624	●	●	●	●
99.1 x 33.8	white, ideal for DL envelope	☐	▲	16		400	5075	1600	4267			●	●	●	●
99.1 x 38.1	white, ideal for DL envelope	☐	▲	14	140 8635	350	5076	1400	4678			●	●	●	●
99.1 x 57.0	white, ideal for C4/C5 envelope ^{1c)}	☐	▲	10				1000	4268			●	●	●	●
99.1 x 67.7	white, ideal for B4/C4 envelope ^{1c)}	☐	▲	8		200	5077	800	4269			●	●	●	●
99.1 x 93.1	white, ideal for packages ^{1c)}	☐	▲	6				600	4653			●	●	●	●
99.1 x 139.0	white, ideal for packages ^{1c)}	☐	▲	4				400	4250			●	●	●	●
105.0 x 33.8	white		▲	16				1600	4264			●	●	●	●
105.0 x 35.0	white		▲	16				1600	4427			●	●	●	●
105.0 x 37.0	white		▲	16				1600	4462	3200	4620	●	●	●	●
105.0 x 39.0	white		▲	14				1400	4654			●	●	●	●

* also in 500 sheets: Ref. no. 4414

** also in 500 sheets: Ref. no. 4415



INTERNETMARKE
Ein Produkt der Deutschen Post

Postage stamps straight off the Internet. Online postage paid with your favourite motif. Now also available with recipient and sender addresses. Perfectly printed on HERMA PREMIUM labels.

www.internetmarke.de

HERMA and Deutsche Post DHL have perfectly coordinated labels and software solutions – accurate postage print-outs guaranteed. The formats available for this service are indicated in the tables.

Suitable for INTERNETMARKE®:

- 1a) without design, without address
- 1b) without recipient's address
- 1c) with recipient's address
- 2) suitable for DHL, HERMES and other online mail-order service providers

Free software
[www.herma.com/
software](http://www.herma.com/software)



Unique climate-proof package

Moisture and temperature fluctuations can do serious damage to labels.

The unique climate-proof package protects the contents from harm caused by moisture and temperature. The rugged, reclosable cardboard package also provides protection against mechanical damage.

The packaging technology makes it easier to remove and store labels.

And it's made from recycled card – environmentally friendly and 100% recyclable.

Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	10 sheets		20/25 sheets		100 sheets		200 sheets		Printer compatibility			
						Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
PREMIUM labels for general use and addressing																	
105.0 x 41.0	white ^{1c)}		▲	14						1400	4475			●	●	●	●
105.0 x 42.0 *	white ^{1c)}		▲	14						1400	4452			●	●	●	●
105.0 x 42.3	white ^{1c)}		▲	14				350	5057	1400	4674	2800	4625	●	●	●	●
105.0 x 48.0 **	white ^{1c)}		▲	12				300	4363	1200	4457	2400	4635	●	●	●	●
105.0 x 50.8	white ^{1c)}		▲	10						1000	4281	2000	4629	●	●	●	●
105.0 x 57.0	white ^{1c)}		▲	10						1000	4425			●	●	●	●
105.0 x 70.0	white ^{1c)}		▲	8						800	4426			●	●	●	●
105.0 x 74.0	white ^{1c)}		▲	8	80	8645		200	5062	800	4470	1600	4626	●	●	●	●
105.0 x 144.0	white ^{1c)}		▲	4						400	4454			●	●	●	●
105.0 x 148.0	white ^{1c)}		▲	4	40	8630		100	5063	400	4676	800	4627	●	●	●	●
105.0 x 297.0	white		▲	2						200	4658			●	●	●	●
199.6 x 143.5	white, ideal for packages ²⁾	┐ □	▲	2						200	4249			●	●	●	●
199.6 x 289.1	white, ideal for parcels/palettes	┐ □	▲	1						100	4252			●	●	●	●
200.0 x 297.0	white		▲	1						100	4458			●	●	●	●
210.0 x 148.0	white ²⁾		▲	2	20	8636		50	5064	200	4282	400	4628	●	●	●	●
210.0 x 297.0	white ³⁾		▲	1	10	8637		25	5065	100	4428	200	4631	●	●	●	●

Sheets in A5 format

148.5 x 205.0	white, with peel-off aid, ideal for parcels ^{1c)}		▲	1						400	8690			•	•	•	•
---------------	--	--	---	---	--	--	--	--	--	-----	------	--	--	---	---	---	---

Sheets in A3 format

420.0 x 297.0	white		▲	1						100	8692			•	•	•	•
---------------	-------	--	---	---	--	--	--	--	--	-----	------	--	--	---	---	---	---

* also in 500 sheets: Ref. no. 4416

** also in 500 sheets: Ref. no. 4417

105.0 x 41.0	105.0 x 42.0	105.0 x 42.3	105.0 x 48.0	105.0 x 50.8	105.0 x 57.0	105.0 x 70.0	105.0 x 74.0	105.0 x 144.0	105.0 x 148.0
105.0 x 297.0	199.6 x 143.5	199.6 x 289.1	200.0 x 297.0	210.0 x 148.0	210.0 x 297.0	148.5 x 205.0	420.0 x 297.0		

☐ Sheet with border on all sides

☐ Rounded corners

▲ Label paper made of PEFC-certified raw materials

Suitable for INTERNETMARKE®:

^{1c)} with recipient's address

²⁾ suitable for DHL, HERMES and other online mail-order service providers

³⁾ Peel-off aid on rear (4 incisions)

Peeling off labels was never so easy

The universal peel-off aid for unpunched A4 labels leaves every option open:

1. You can remove the backing paper in one go if you want to use the label whole.
2. You can remove the backing paper section by section if you want to cut the label into smaller label formats.



HERMA SPECIAL



Made in Germany

Labels for special applications

The right label for every use. From sturdy, weatherproof labels to repositionable labels, special shapes and striking colours. Thanks to the clear package layout, you can find the label you are looking for quickly and easily – and in user-friendly quantities.

- ✓ **Special materials for special applications**
The label papers, adhesives and formats are perfectly matched to the task.
- ✓ **Adhesion to a wide range of surfaces**
HERMA labels have outstanding adhesive properties. Their adhesive strength differs, depending on the job in hand.
- ✓ **Product characteristics at a glance**
Application icons and illustrations show the special characteristics of each product. The product name and characteristics are formulated clearly and concisely. A colour code system helps you find products fast.



Removable labels
Ideal for inscriptions that change



Coloured labels
Labels that draw attention thanks to high visibility



File spine labels
Fully opaque, nothing shines through



Rating plates
Ideal for long-lasting labelling



Signalling labels
Weather-resistant and hard-wearing



Transparent labels
Printed-on look – ideal for coloured backgrounds

Repositionable address labels:**simply peel them off and stick them on again**

Our unique Movables® technology makes it possible. This special adhesive technology allows you to peel off the address labels without leaving residue and stick them firmly back on again. And if need be, you can use envelopes and boxes over again. The labels leave no residue behind and do not damage the surface.

Suitable for all packaging materials: envelopes, parcels, shipping tubes, plastic film.



						10 sheets	20/25 sheets		100 sheets		Printer compatibility				
Label format (mm)	Description			Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Repositionable address labels (Movables® technology)															
Removable without residue, adhere again															
63.5 x 38.1	white, ideal for C6 envelope			21				525	5074	2100	10301	●	●	●	●
99.1 x 33.8	white, ideal for DL envelope			16						1600	10309	●	●	●	●
99.1 x 38.1	white, ideal for DL envelope			14				350	10016	1400	10310	●	●	●	●
99.1 x 42.3	white, ideal for DL envelope ^{1c)}			12				300	10017	1200	10311	●	●	●	●
96.0 x 50.8	white, ideal for C4/C5 envelope ^{1c)}			10				250	4349	1000	10307	●	●	●	●
99.1 x 57.0	white, ideal for C4/C5 envelope ^{1c)}			10						1000	10316	●	●	●	●
99.1 x 67.7	white, opaque, for B4/C4 envelope ^{1c)}			8				200	10018	800	10312	●	●	●	●
99.1 x 93.1	white, opaque, ideal for packages ^{1c)}			6						600	10317	●	●	●	●
99.1 x 139.0	white, opaque, ideal for packages ^{1c)}			4				100	10019	400	10313	●	●	●	●

63.5 x 38.1	99.1 x 33.8	99.1 x 38.1	99.1 x 42.3	96.0 x 50.8	99.1 x 57.0	99.1 x 67.7	99.1 x 93.1	99.1 x 139.0

Address labels made of 100% recycled paper, with the Blue Angel ecolabel.
Great for the environment and for the climate.

HERMA labels made from recycled paper have the Blue Angel ecolabel. That's because both the label paper and the backing are made exclusively from recycled paper.

The natural-white label material is exceptionally bright, with high purity. Only top-quality wastepaper is used, allowing processing without chlorine bleach and whitening agents.

The paper meets DIN 6738 requirements (age resistance). The water-based adhesive is free of plasticizers, acids and solvents, and the packaging is made of recycled cardboard.

Labels made of recycled paper, with the Blue Angel ecolabel**Natural-white label paper, label paper and backing material made exclusively from recycled paper, Blue Angel ecolabel**

63.5 x 38.1	white, ideal for C6 envelope	<input type="checkbox"/>	21					2100	10822	•	•	•	•
99.1 x 33.8	white, ideal for DL envelope	<input type="checkbox"/>	16					1600	10825	•	•	•	•
99.1 x 38.1	white, ideal for DL envelope	<input type="checkbox"/>	14					1400	10826	•	•	•	•
99.1 x 67.7	white, ideal für B4/C4-Kuverts ^{1c)}	<input type="checkbox"/>	8					800	10827	•	•	•	•
199.6 x 243.5	white, ideal for packages	<input type="checkbox"/>	2					200	10830	•	•	•	•
199.6 x 289.1	white, ideal for packages	<input type="checkbox"/>	1					100	10831	•	•	•	•

63.5 x 38.1	99.1 x 33.8	99.1 x 38.1	99.1 x 67.7	199.6 x 143.5	199.6 x 289.1

- ☐ Sheet with border on all sides
- ☒ Rounded corners
- Label paper made of PEFC-certified raw materials

Suitable for INTERNETMARKE®:
^{1c)} with recipient's address


²⁾ suitable for DHL, HERMES and other online mail-order service providers

³⁾ Peel-off aid on rear (4 incisions)



HERMA SPECIAL A4 > Addressing/shipping

Label format (mm)	Description	Features	Labels/ sheet	10 sheets		20/25 sheets		100 sheets		Printer compatibility			
				Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Transparent address labels													
Polyester film, matt, for laser printers and copiers													
66.0 x 33.8	transparent, film, for C6 envelope ^{1b)}	<input type="checkbox"/>	24			600	4681			●	●		●
70.0 x 37.0	transparent, film, for C6 envelope	<input type="checkbox"/>	24			600	4685			●	●		●
97.0 x 42.3	transparent, film, for DL envelope ^{1c)}	<input type="checkbox"/>	12			300	4682			●	●		●
210.0 x 148.0	transparent, film, for B4/C4 envelope	<input type="checkbox"/>	2			50	4683			●	●		●




Printed-on look – ideal for coloured backgrounds

Inkjet address labels

Special coated paper, 90 g/m², quick-drying, photo quality

63.5 x 38.1	white, ideal for C6 envelope	<input checked="" type="checkbox"/>	<input type="checkbox"/>	21		525	8838					•	
88.9 x 46.6	white, ideal for DL envelope	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12		300	8842	1200	8805			•	
97.0 x 33.8	white, ideal for DL envelope	<input type="checkbox"/>	<input type="checkbox"/>	16				1600	4815			•	
97.0 x 42.3	white, ideal for DL envelope ^{1c)}	<input type="checkbox"/>	<input type="checkbox"/>	12		300	4823	1200	4816			•	
96.0 x 139.7	white, ideal for packages	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4				400	8807			•	




Brilliant, razor-sharp print-outs. Quick-drying, wipe-resistant

Weatherproof shipping labels

Polyester film, extremely strong adhesion

99.1 x 57.0	white, film, ideal for C4/C5 envelope ^{1c)}	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10		250	8330			•	•		•
99.1 x 67.7	white, film, ideal for B4/C4 envelope ^{1c)}	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8		200	8331			•	•		•
99.1 x 93.1	white, film, ideal for packages ^{1c)}	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6		150	8332			•	•		•



Stay legible whatever the weather
Weather-resistant, dirt-repellent, tear-proof, temperature-resistant

Labels for shipping and warning notes


Paper, permanent adhesion

50.0 x 142.0	luminous-red	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8		160	8325			•	•	•	•
50.0 x 142.0	white	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8		200	8326			•	•	•	•
99.1 x 67.7	luminous-red	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8		160	5046			•	•	•	•
99.1 x 67.7	white ^{1c)}	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8		200	5077	800	4269	•	•	•	•

Shipping label and delivery note, ideal for online franking

Delivery note can be torn off thanks to perforation

182.0 x 130.0	white, opaque, perforated ²⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1		25	8316			•	•	•	•
---------------	---	-------------------------------------	--------------------------	---	--	----	------	--	--	---	---	---	---



Personalised address information
Customisable text and design



Time-saving:
Print shipping labels and bills of lading, invoices or advance shipping notices in a single print run



















































HERMA file spine labels – and everything is in good shape


Whatever kind of files you use, you'll find a HERMA label to fit your needs:

For standing or hanging files, whether narrow or wide, short or long, or with a punched thumb hole. For affixing or inserting, white or coloured. Permanent or removable.

This high-white label paper is fully opaque and guarantees top-quality printing results in both black-and-white and colour.



Label format (mm)	Description	Fea- tures	Labels/ sheet	10 sheets		20/25 sheets		100 sheets		Printer compatibility			
				Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
File spine labels, opaque, permanent adhesion													
Ring binders, approx. 25 mm spine thickness:													
192.0 x 16.9	white, narrow, short	  	16			400	5118			•	•	•	•
Ring binders, approx. 37 mm spine thickness:													
192.0 x 25.4	white, narrow, short	  	10			250	5119			•	•	•	•
Elba, Biella, Mehle:													
192.0 x 34.0	white, narrow, short	  	8			200	5160	800	4290	•	•	•	•
Leitz, Elba, Esselte, Mehle, Herlitz, Bene:													
192.0 x 38.0	white, narrow, short	  	7	70	8620	175	5090	700	4283	•	•	•	•
192.0 x 38.0	 yellow, narrow, short	  	7			140	5091			•	•	•	•
192.0 x 38.0	 red, narrow, short	  	7			140	5092			•	•	•	•
192.0 x 38.0	 blue, narrow, short	  	7			140	5093			•	•	•	•
192.0 x 38.0	 green, narrow, short	  	7			140	5094			•	•	•	•
Elba, Esselte, Herlitz:													
192.0 x 59.0	white, wide, short	  	4			100	5123	400	4291	•	•	•	•
Leitz, Elba, Mehle, Bene, Biella:													
192.0 u 61.0	white, wide, short	  	4	40	8621	100	5095	400	4284	•	•	•	•
192.0 x 61.0	 yellow, wide, short	  	4			80	5096	400	4296	•	•	•	•
192.0 x 61.0	 red, wide, short	  	4			80	5097	400	4297	•	•	•	•
192.0 x 61.0	 blue, wide, short	  	4			80	5098	400	4298	•	•	•	•
192.0 x 61.0	 green, wide, short	  	4			80	5099	400	4299	•	•	•	•



Extra-narrow formats
for spine widths of
25 mm or 37 mm




Easy and professional designing of file spine labels.

Complete package: file spine labels + software. Functional and efficient, with almost unlimited design features. Convenient predefined formats for all HERMA labels. For Windows XP/Vista/7. Software in German, English, French, Dutch, Italian, Spanish and Portuguese – on CD!

See page 34 for details.









Ref. no. 8373



-  Sheet with border on all sides
-  Rounded corners
-  Label paper made of PEFC-certified raw materials

Suitable for INTERNETMARKE®:

- ^{1b)} without recipient's address
- ^{1c)} with recipient's address
- ²⁾ suitable for DHL, HERMES and other online mail-order service providers

Label format (mm)	Description	Fea- tures	Labels/ sheet	10 sheets		20/25 sheets		100 sheets		Printer compatibility				
				Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser	
File spine labels, opaque, permanent adhesion														
Elba, Biella, Mehle:														
34.0 x 297.0	white, narrow, long, thumb hole	☑	▲	5		125	5158			●	●	●	●	
Leitz, Elba, Esselte, Mehle, Herlitz, Bene:														
38.0 x 297.0	white, narrow, long, thumb hole	☑	▲	5	50 8641	125	5130			●	●	●	●	
38.0 x 297.0	 yellow, narrow, long, thumb hole	☑	▲	5		100	5131			●	●	●	●	
38.0 x 297.0	 red, narrow, long, thumb hole	☑	▲	5		100	5132			●	●	●	●	
38.0 x 297.0	 blue, narrow, long, thumb hole	☑	▲	5		100	5133			●	●	●	●	
38.0 x 297.0	 green, narrow, long, thumb hole	☑	▲	5		100	5134			●	●	●	●	
Elba, Esselte, Herlitz:														
59.0 x 297.0	white, wide, long, thumb hole	☑	▲	3		75	5159			●	●	●	●	
Leitz, Elba, Mehle, Bene, Biella:														
61.0 x 297.0	white, wide, long, thumb hole	☑	▲	3	30 8642	75	5135			●	●	●	●	
61.0 x 297.0	 yellow, wide, long, thumb hole	☑	▲	3		60	5136			●	●	●	●	
61.0 x 297.0	 red, wide, long, thumb hole	☑	▲	3		60	5137			●	●	●	●	
61.0 x 297.0	 blue, wide, long, thumb hole	☑	▲	3		60	5138			●	●	●	●	
61.0 x 297.0	 green, wide, long, thumb hole	☑	▲	3		60	5139			●	●	●	●	
Leitz A5 files:														
157.0 x 61.0	white, wide, for A5 files	☑	☐	4		100	5121			●	●	●	●	
Leitz, Elba, Falken:														
34.0 x 297.0	white, narrow, suspension file	☑	▲	5		125	5165			●	●	●	●	
Leitz, Elba:														
63.0 x 297.0	white, wide, suspension file	☑	▲	3		75	5167			●	●	●	●	




Absolutely opaque:
Previous inscriptions are
masked completely

Removable file spine labels, opaque (Movables® technology)

Repositionable, removable without residue, adhere again

Elba, Biella, Mehle:													
192.0 x 34.0	white, narrow, short	☑	☐	8		200	10150			•	•	•	•
Leitz, Elba, Esselte, Mehle, Herlitz, Bene:													
192.0 x 38.0	white, narrow, short	☑	☐	7		175	10155	700	10140	•	•	•	•
192.0 x 38.0	yellow, narrow, short	☑	☐	7		175	10156			•	•	•	•
192.0 x 38.0	red, narrow, short	☑	☐	7		175	10157			•	•	•	•
192.0 x 38.0	blue, narrow, short	☑	☐	7		175	10158			•	•	•	•
192.0 x 38.0	green, narrow, short	☑	☐	7		175	10159			•	•	•	•
Elba, Esselte, Herlitz:													
192.0 x 59.0	white, wide, short	☑	☐	4		100	10160			•	•	•	•
Leitz, Elba, Mehle, Bene, Biella:													
192.0 x 61.0	white, wide, short	☑	☐	4		100	10165	400	10141	•	•	•	•
192.0 x 61.0	yellow, wide, short	☑	☐	4		100	10166			•	•	•	•
192.0 x 61.0	red, wide, short	☑	☐	4		100	10167			•	•	•	•
192.0 x 61.0	blue, wide, short	☑	☐	4		100	10168			•	•	•	•
192.0 x 61.0	green, wide, short	☑	☐	4		100	10169			•	•	•	•
Leitz, Elba, Esselte, Mehle, Herlitz, Bene:													
38.0 x 297.0	white, narrow, long, thumb hole	☑		5		125	10175	500	10142	•	•	•	•
Elba, Esselte, Herlitz:													
59.0 x 297.0	white, wide, long, thumb hole	☑		3		75	10180			•	•	•	•
Leitz, Elba, Mehle, Bene, Biella:													
61.0 x 297.0	white, wide, long, thumb hole	☑		3		75	10185	300	10143	•	•	•	•



Removable without residue
– ideal for inscriptions that
change

- ☐ Sheet with border on all sides
- ☑ Rounded corners
- ▲ Label paper made of PEFC-certified raw materials

Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ Ref. pack no.	20/25 sheets	Labels/ Ref. pack no.	100 sheets	Labels/ Ref. pack no.	Printer compatibility			
									Laser	Copy	Ink	Colour laser

File spine labels made of recycled paper

Labels and backing paper made from 100% recycled paper, permanent adhesion

Leitz, Elba, Esselte, Mehle, Herlitz, Bene:

192.0 x 38.0	white, narrow, short	☐	7				700 10834		•	•	•	•
--------------	----------------------	---	---	--	--	--	-----------	--	---	---	---	---

Leitz, Elba, Mehle, Bene, Biella:

192.0 x 61.0	white, wide, short	☐	4				400 10835		•	•	•	•
--------------	--------------------	---	---	--	--	--	-----------	--	---	---	---	---

Inkjet file spine labels

Special coated paper, 90 g/m², quick-drying, photo quality

Leitz, Elba, Esselte, Mehle, Herlitz, Bene:

192.0 x 38.0	white, narrow, short	☐	7			175 4825					•	
--------------	----------------------	---	---	--	--	----------	--	--	--	--	---	--

Leitz, Elba, Mehle, Bene, Biella:

192.0 x 61.0	white, wide, short	☐	4			100 4826					•	
--------------	--------------------	---	---	--	--	----------	--	--	--	--	---	--

Leitz, Elba, Esselte, Mehle, Herlitz, Bene:

38.0 x 297.0	white, narrow, long, thumb hole	☐	5			125 4830					•	
--------------	---------------------------------	---	---	--	--	----------	--	--	--	--	---	--

Leitz, Elba, Mehle, Bene, Biella:


61.0 x 297.0	white, wide, long, thumb hole	☐	3			75 4831					•	
--------------	-------------------------------	---	---	--	--	---------	--	--	--	--	---	--



192.0 x 38.0



192.0 x 61.0



38.0 x 297.0



61.0 x 297.0

Spine insert labels, cardboard, non-adhesive, microperforation

Leitz, Elba, EJA, Falken:

190.0 x 30.0	white, narrow	☐	9			225 5122			•	•	•	•
--------------	---------------	---	---	--	--	----------	--	--	---	---	---	---

Leitz, Elba, EJA, Falken:

190.0 x 54.0	white, wide	☐	5			125 5032			•	•	•	•
--------------	-------------	---	---	--	--	----------	--	--	---	---	---	---

Tab labels (Movables® technology)

Removable without residue, adhere again
also perfect for letter files and filing trays

45.7 x 16.9	white	☐	64			1600 4201			•	•	•	•
-------------	-------	---	----	--	--	-----------	--	--	---	---	---	---

Removable inscription strips (Movables® technology)

63.5 x 16.9	white	☐	48			1200 10005			•	•	•	•
-------------	-------	---	----	--	--	------------	--	--	---	---	---	---

96.0 x 10.0	white	☐	54			1350 10015			•	•	•	•
-------------	-------	---	----	--	--	------------	--	--	---	---	---	---

192.0 x 10.0	white	☐	27			675 10022			•	•	•	•
--------------	-------	---	----	--	--	-----------	--	--	---	---	---	---



190.0 x 30.0



190.0 x 54.0



45.7 x 16.9



63.5 x 16.9



96.0 x 10.0



192.0 x 10.0

Labelling of files – extremely easy, reliable and flexible.

Movables® – adhesive technology that inspires.

With HERMA Movables® technology special adhesive granules are firmly embedded in the label material, which means that the label can subsequently be removed at any time without damaging the subsurface.

That means that files can be used again when the contents change, which cuts costs.

The special adhesion characteristics of the adhesive granules also ensure that the label continues to adhere reliably once it has been removed and reapplied several times.



High-white surface,
microperforation ensures
clean separation




Ideal for narrow ring binders
or suspension files

Positioning aid
at each label




CD/DVD labels: Dead-centre placement – with no additional aids


Each HERMA CD label has its own positioning aid. Just place the label in the jewel case and attach it. That's all. Your label is perfectly centred. The CD will run smoothly, even in high-speed drives. The positioning aid also keeps your fingers away from the adhesive – no problems with annoying fingerprints.



Remove the label with positioning aid from the sheet



Left align the positioning aid against the ridge of the CD box



Affix the label and remove the positioning aid

		10 sheets		20/25 sheets		100 sheets		Printer compatibility			
Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy
CD labels with positioning aid for every label											
for laser printers, inkjet printers and copiers											
ø 116	white, opaque	<input type="checkbox"/>	2			50	5079	200	4471	•	•
ø 116 Maxi	white, opaque	<input type="checkbox"/>	2	20	8624	50	5115	200	4460	•	•
ø 78	white, opaque, mini-CD 8 cm *	<input type="checkbox"/>	6	60	8619					•	•
CD labelling set (software + 25 sh., 116 mm dia., white)**		<input type="checkbox"/>	2			50	8381			•	•

* with special positioning aid for CD labeller 8617 ** See page 34 for details

for laser printers and copiers

ø 116	transparent, film, clear	<input type="checkbox"/>	2			50	4374			•	•
ø 116 Maxi	white, glossy	<input type="checkbox"/>	2			50	4914			•	•

Inkjet CD labels, photo quality, with positioning aid for every label

Special coated paper, 90 g/m², photo-quality

ø 116	white	<input type="checkbox"/>	2			50	4849			•	•
ø 116	white, glossy	<input type="checkbox"/>	2	20	8900					•	•
ø 116 Maxi	white	<input type="checkbox"/>	2			50	4850			•	•
ø 116 Maxi	white, glossy	<input type="checkbox"/>	2	20	8885					•	•

CD cover labels

121.5 x 117.5	white, CD cover	<input type="checkbox"/>	2			50	4373			•	•
114.3 x 5.5	white, CD box	<input type="checkbox"/>	48			1200	5078			•	•


DVD/Blu-ray labels with positioning aid for every label

Special film, test centre approved (AudioDeV)


ø 116 Maxi	white polyester film	<input type="checkbox"/>	2			50	4699			•	•
------------	----------------------	--------------------------	---	--	--	----	------	--	--	---	---



ø 116



ø 116 Maxi



ø 78



121.5 x 117.5



114.3 x 5.5



Classic:

Central hole ø 41 mm



Maxi format:




plenty of room for text and images. Central hole ø 17 mm




Place labels precisely in the middle of CDs and DVDs without annoying fingerprints or tiresome trial-and-error. High-precision centring aid for all CDs and DVDs (with or without jewel case). For all CD and DVD labels with HERMA positioning aid. Translucent blue plastic. Ref. no. 8617



CDs in your corporate design – quick and convenient with HERMA LabelAssistant online
Upload your logo, select a layout from the design templates, enter your text and print. That's all there is to it!
www.herma.com/eao

					10 sheets	20/25 sheets	100 sheets	Printer compatibility					
Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
CD and DVD cover inlays, cardboard, non-adhesive, microperforation													
121.0 x 242.0	white, for slimline jewel cases	<input type="checkbox"/> 	1			25	5033			●	●	●	●
151.0 x 118.0	white, for jewel cases	<input type="checkbox"/> 	1			25	5036			●	●	●	●
183.0 x 273.0	white, for DVD cases	<input type="checkbox"/> 	1			25	5037			●	●	●	●



121,0 x 242,0



151,0 x 118,0



183,0 x 273,0



For jewel cases



For slimline jewel cases




For DVD cases

Video and slide labels

78.7 x 46.6	white, VHS video, front			12		300	5070			•	•	•	•
147.3 x 20.0	white, VHS video, spine			13		325	5069			•	•	•	•
43.2 x 8.5	white, for all frame sizes			128		3200	5071			•	•	•	•

Labels for 3.5" diskettes, ZIP™ diskettes and data cartridges

70.0 x 50.8	white, 3,5" diskettes, front			10		250	4353			•	•	•	•
70.0 x 67.7	white, 3,5" diskettes, front and back			8		200	4355			•	•	•	•
59.0 x 50.0	white, ZIP™ diskettes			15		375	5087			•	•	•	•
63.5 x 8.5	white, data cartridges			96		2400	4202			•	•	•	•




78.7 x 46.6




147.3 x 20.0



43.2 x 8.5



70.0 x 50.8



70.0 x 67.7



59.0 x 50.0



63.5 x 8.5




Free software
www.herma.com/
software

It's all written on the back...

To help identify sheets once they have been removed from the package, the article number is shown on the back. This also ensures a correct match with the article number selected by the software.

No danger of mix-ups when printing – and when it's time to reorder, you'll know what to request.



- ☐ Sheet with border on all sides
- Rounded corners
- Label paper made of PEFC-certified raw materials



Removable labels (Movables® technology)

Stick on. Peel off. Stick on. HERMA labels based on the unique Movables® technology adhere securely to any surface and peel off without residue.

Ideal for temporary or frequent-change labels and for fragile surfaces. And if the label is skewed, that's no problem – simply peel it off and stick it on again. Also available in a convenient office pack if you need to write labels by hand.

Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	10 sheets		20/25 sheets		100 sheets		Printer compatibility			
						Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser		
Removable labels (Movables® technology)															
Removable without residue, adhere again															
17.8 x 10.0	white, Movables	✓ □	270			6750	10000			●	●	●	●		
25.4 x 10.0	white, Movables	✓ □	189			4725	10001			●	●	●	●		
25.4 x 16.9	white, Movables	✓ □	112			2800	4211			●	●	●	●		
35.6 x 16.9	white, Movables	✓ □	80			2000	10003			●	●	●	●		
38.1 x 12.7	white, Movables	✓ □	110			2750	4210			●	●	●	●		
38.1 x 21.2	white, Movables	✓ □	65			1625	4212			●	●	●	●		
45.7 x 21.2	white, Movables	✓ □	48			1200	4346			●	●	●	●		
52.5 x 21.2	white, Movables	✓ □	56			1400	5080			●	●	●	●		
63.5 x 8.5	white, Movables	✓ □	96			2400	4202			●	●	●	●		
63.5 x 16.9	white, Movables	✓ □	48			1200	10005			●	●	●	●		
63.5 x 29.6	white, Movables	✓ □	27			675	4347	2700	10300	●	●	●	●		
63.5 x 38.1	white, Movables	✓ □	21			525	5074	2100	10301	●	●	●	●		
63.5 x 46.6	white, Movables	✓ □	18			450	4203	1800	10302	●	●	●	●		
88.9 x 33.8	white, Movables	✓ □	16			400	10009	1600	10303	●	●	●	●		
88.9 x 46.6	white, Movables	✓ □	12			300	10010	1200	10304	●	●	●	●		
96.0 x 10.0	white, Movables	✓ □	54			1350	10015			●	●	●	●		
96.0 x 16.9	white, Movables	✓ □	32			800	4209			●	●	●	●		
96.0 x 42.3	white, Movables	✓ □	12			300	4348			●	●	●	●		
96.0 x 50.8	white, Movables ^{1c)}	✓ □	10			250	4349	1000	10307	●	●	●	●		
96.0 x 63.5	white, Movables	✓ □	8			200	4350	800	10308	●	●	●	●		
99.1 x 33.8	white, Movables	✓ □	16					1600	10309	●	●	●	●		
99.1 x 38.1	white, Movables	✓ □	14			350	10016	1400	10310	●	●	●	●		
99.1 x 42.3	white, Movables ^{1c)}	✓ □	12			300	10017	1200	10311	●	●	●	●		
99.1 x 57.0	white, Movables ^{1c)}	✓ □	10					1000	10316	●	●	●	●		

270 17.8 x 10.0	189 25.4 x 10.0	112 25.4 x 16.9	80 35.6 x 16.9	110 38.1 x 12.7	65 38.1 x 21.2	48 45.7 x 21.2	56 52.5 x 21.2
96 63.5 x 8.5	48 63.5 x 16.9	27 63.5 x 29.6	21 63.5 x 38.1	18 63.5 x 46.6	16 88.9 x 33.8	12 88.9 x 46.6	54 96.0 x 10.0
32 96.0 x 16.9	12 96.0 x 42.3	10 96.0 x 50.8	8 96.0 x 63.5	16 99.1 x 33.8	14 99.1 x 38.1	12 99.1 x 42.3	10 99.1 x 57.0





Reliable adhesion
on a wide range of
surfaces.




















**Residue-free
removal**
without damaging
the surface.



**Problem-free
repositioning,**
adhere again
several times.

With HERMA Movables® HERMA has once again proven its leading position on the labels market – the high take-up is confirmed by independent consumer tests:


- ✓ **Top score in independent consumer tests.**
- ✓ **100% of those questioned would recommend HERMA Movables®.**
- ✓ **70% intend to use HERMA Movables® in place of the labels they currently use.**

Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ Ref. pack no.	10 sheets	20/25 sheets	100 sheets	Printer compatibility			
					Labels/ Ref. pack no.	Labels/ Ref. pack no.	Laser	Copy	Ink	Colour laser	
Removable labels (Movables® technology)											
Removable without residue, adhere again											
99.1 x 67.7	white, Movables, opaque ^{1c)}		8		200 10018	800 10312	•	•	•	•	
99.1 x 93.1	white, Movables, opaque ^{1c)}		6			600 10317	•	•	•	•	
99.1 x 139.0	white, Movables, opaque ^{1c)}		4		100 10019	400 10313	•	•	•	•	
105.0 x 42.3	white, Movables ^{1c)}		14		350 5081		•	•	•	•	
105.0 x 148.0	white, Movables ^{1c)}		4		100 5082		•	•	•	•	
192.0 x 10.0	white, Movables		27		675 10022		•	•	•	•	
199.6 x 143.5	white, Movables ²⁾		2		50 10020	200 10314	•	•	•	•	
210.0 x 297.0	white, Movables ³⁾		1		25 10021	100 10315	•	•	•	•	
ø 10	white, Movables		315		7875 4385		•	•	•	•	
ø 20	white, Movables		96		2400 4386		•	•	•	•	
ø 30	white, Movables		48		1200 4387		•	•	•	•	
ø 40	white, Movables		24		600 5066	2400 4476	•	•	•	•	
ø 60	white, Movables		12		300 5067	1200 4477	•	•	•	•	
ø 85	white, Movables		6		150 5068	600 4478	•	•	•	•	
40.6 x 25.4	white, oval, Movables		36		900 4380		•	•	•	•	
63.5 x 42.3	white, oval, Movables		18		450 4358		•	•	•	•	
25.4 x 25.4	white, square, Movables		66		1650 10107		•	•	•	•	
40.0 x 40.0	white, square, Movables		24		600 10108		•	•	•	•	
60.0 x 60.0	white, square, Movables		12		300 10109		•	•	•	•	
35.6 x 16.9	white, special shape, pricing, Movables		80		2000 10002		•	•	•	•	

Economic with "single-print"

Labels can be printed individually using our Movables® technology. With HERMA Movables® technology labels can be affixed to the "single-print" template and printed individually. The remaining labels on the sheet can be used at a later date.

Single-print templates in many formats are available for downloading free of charge:
www.herma.com/single-print



- ☐ Sheet with border on all sides
- ☐ Rounded corners
- ☐ Label paper made of PEFC-certified raw materials

Suitable for INTERNETMARKE®:

^{1c)} with recipient's address

²⁾ suitable for DHL, HERMES and other online mail-order service providers

³⁾ Peel-off aid on rear (4 incisions)

Inkjet labels:



the paper is what makes the difference

HERMA Inkjet labels are made of specially finished, coated 90 g paper. Superior photo-quality prints become a reality.

Thanks to their special coating they dry instantly and are wipe resistant, in black and white and colour. The printed result is razor-sharp; small fonts and barcodes are clearly defined.



Label format (mm)	Description	Fea- tures	Labels/ sheet	10 sheets		20/25 sheets		100 sheets		Printer compatibility					
				Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser		
Inkjet labels, photo-quality															
Special coated paper, 90 g/m ² , quick-drying, photo quality															
25.4 x 8.5	white			224		5600	8830							●	
25.4 x 25.4	white			66		1650	8831							●	
30.5 x 16.9	white			96		2400	8832							●	
38.1 x 21.2	white			65				6500	4810					●	
45.7 x 21.2	white			48		1200	8864							●	
63.5 x 25.4	white			33		825	8837							●	
63.5 x 38.1	white			21		525	8838							●	
66.0 x 33.8	white			24		600	4820	2400	4814					●	
83.8 x 50.8	white, appr. business card size			10		250	8840							●	
88.9 x 46.6	white			12		300	8842	1200	8805					●	
97.0 x 33.8	white			16				1600	4815					●	
97.0 x 42.3	white			12		300	4823	1200	4816					●	
96.0 x 139.7	white			4				400	8807					●	
210.0 x 297.0	white ³⁾			1		25	4824	100	4819					●	



Printable over the whole surface

All HERMA inkjet label sheets have an all-round border. This makes them ideal when labels are to be printed over the whole surface. And the border provides an extra margin of safety for inkjet printers with paper tracks that are less than reliable. Sheets run through without ever jamming.

A few things to remember

To ensure problem-free label processing, keep the following rules in mind:

- Store them at room temperature (about 20 °C) and protect them from moisture
- If only part of the package contents are used, keep the remainder in the closed package (with climate protection)
- Thumb quickly through the sheets before putting them in the feed tray
- Allow sheets to pass through the printer only once. Sheets with missing labels can cause paper jams if sent through a second time

HERMA labels made of 100% recycled paper, with the Blue Angel ecolabel: Great for the environment and for the climate

Both the label paper and the backing are made exclusively from recycled paper. The natural-white label material is exceptionally bright, with high purity. Only top-quality wastepaper is used, allowing processing without chlorine bleach and whitening agents.

The paper meets DIN 6738 requirements (age resistance).

The water-based adhesive is free of plasticizers, acids and solvents, and the packaging is made of recycled cardboard.



				10 sheets		20/25 sheets		100 sheets		Printer compatibility				
Label format (mm)	Description		Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Labels made of recycled paper, with the Blue Angel ecolabel														
Natural-white label paper, label paper and backing material made exclusively from recycled paper, Blue Angel ecolabel														
38.1 x 21.2	natural-white		<input type="checkbox"/>	65					6500 10820		•	•	•	•
48.3 x 25.4	natural-white		<input type="checkbox"/>	44					4400 10821		•	•	•	•
63.5 x 38.1	natural-white		<input checked="" type="checkbox"/>	21					2100 10822		•	•	•	•
70.0 x 36.0	natural-white		<input type="checkbox"/>	24					2400 10823		•	•	•	•
70.0 x 37.0	natural-white		<input type="checkbox"/>	24					2400 10824		•	•	•	•
99.1 x 33.8	natural-white		<input checked="" type="checkbox"/>	16					1600 10825		•	•	•	•
99.1 x 38.1	natural-white		<input checked="" type="checkbox"/>	14					1400 10826		•	•	•	•
99.1 x 67.7	natural-white		<input checked="" type="checkbox"/>	8					800 10827		•	•	•	•
105.0 x 48.0	natural-white		<input type="checkbox"/>	12					1200 10828		•	•	•	•
105.0 x 148.0	natural-white		<input type="checkbox"/>	4					400 10829		•	•	•	•
199.6 x 143.5	natural-white		<input checked="" type="checkbox"/>	2					200 10830		•	•	•	•
199.6 x 289.1	natural-white		<input checked="" type="checkbox"/>	1					100 10831		•	•	•	•
210.0 x 148.0	natural-white		<input type="checkbox"/>	2					200 10832		•	•	•	•
210.0 x 297.0	natural-white ³⁾		<input type="checkbox"/>	1					100 10833		•	•	•	•
192.0 x 38.0	natural-white, for narrow files		<input checked="" type="checkbox"/>	7					700 10834		•	•	•	•
192.0 x 61.0	natural-white, for wide files		<input checked="" type="checkbox"/>	4					400 10835		•	•	•	•

38.1 x 21.2	48.3 x 25.4	63.5 x 38.1	70.0 x 36.0	70.0 x 37.0	99.1 x 33.8	99.1 x 38.1	99.1 x 67.7
105.0 x 48.0	105.0 x 148.0	199.6 x 143.5	199.6 x 289.1	210.0 x 148.0	210.0 x 297.0	192.0 x 38.0	192.0 x 61.0

Whichever software solution you're looking for, the place to start is www.herma.com/software.

Here, you'll find innovative and well thought-out software solutions to suit all your needs – and always featuring the latest HERMA label formats.

- **HERMA LabelAssistant online:** just a few clicks and your label is there – a simple, fast and efficient way to design your labels on the Internet and print them out on your workstation. No software download or installation required, which makes it ideal for use on corporate networks.
- **HERMA LabelAssistant for Word:** numerous additional functions broaden the spectrum of possibilities for designing labels using Microsoft Word, Access, Outlook and Excel.
- **Format templates** for all current graphics and word-processing programs, to use in your usual software with no additional installation required. Available for Microsoft Word, Quark XPress, InDesign, Freehand, Illustrator, CorelDraw, Ragtime and Wordperfect.

☐ Sheet with border on all sides
☒ Rounded corners













³⁾ Peel-off aid on rear (4 incisions)


HERMA signs: conspicuously robust

Ideal for outdoors: HERMA signs in white and yellow polyester film are extremely hard-wearing and adhere even to critical surfaces securely and reliably.

Whether information or warning signs, signposts, adhesive signs for display windows or identification labels in warehousing and production facilities, you can custom-design them on your PC and print them out cost-effectively. These weather-resistant labels are temperature- and ageing-resistant and made from extremely robust, tear-proof, wet-wipeable material.



					10 sheets	20/25 sheets	100 sheets	Printer compatibility					
Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Hard-wearing signs, matt, weatherproof													
190.0 x 135.0	white, film, extra strong adhesion	 	2			50	8333			●	●		●
190.0 x 275.0	white, film, extra strong adhesion	 	1			25	8334			●	●		●
ø 85	white, film, extra strong adhesion	 	6			150	8336			●	●		●
105.0 x 148.0	 yellow, film, extra strong adhesion		4			100	8032			●	●		●
210.0 x 297.0	 yellow, film, extra strong ad. ⁴⁾		1			25	8033			●	●		●
ø 85	 yellow, film, extra strong adhesion		6			150	8035			●	●		●




Reliable adhesion, easily readable – whatever the weather

Rating plates, silver, matt, extra strong adhesion													
25.4 x 10.0	silver, film, matt	<input type="checkbox"/>	189			4725	4220			•	•	•	•
45.7 x 21.2	silver, film, matt	<input type="checkbox"/>	48			1200	4221			•	•	•	•
63.5 x 29.6	silver, film, matt	<input type="checkbox"/>	27			675	4222			•	•	•	•
96.0 x 50.8	silver, film, matt	<input type="checkbox"/>	10			250	4223			•	•	•	•
105.0 x 148.0	silver, film, matt	<input type="checkbox"/>	4			100	4216			•	•	•	•
210.0 x 297.0	silver, film, matt ⁴⁾	<input type="checkbox"/>	1			25	4224			•	•	•	•



Rating plate labels are a means of labelling inventory and parts permanently and dependably

Pictogram labels, silver, matt, extra strong adhesion													
ø 85	silver, film, matt	<input type="checkbox"/>	6			150	4219			•	•	•	•



With stainless steel-look pictogram labels, creating your own signs for doors and cabinets is easy



HERMA LabelScout. The best sales assistant for labels is online.

Find the right label in seconds: any criteria combination, any order and even multiple entries are possible. The LabelScout provides access to the entire HERMA label range. www.herma.com/scout

- ☐ Sheet with border on all sides
- ☒ Rounded corners
- ☒ Label paper made of PEFC-certified raw materials
- ³⁾ Peel-off aid on rear (4 incisions)
- ⁴⁾ Peel-off aid on reverse (1 cut)


HERMA signs for indoors:**Distinctive and customised**

Removable signs using Movables® technology are the ideal solution for short-term notices or fragile surfaces. They adhere to any surface, peel off without leaving residue and adhere again several times.

Power label signs adhere twice as strongly as conventional paper labels. Perfect for work instructions, contents lists in cabinets, inscriptions on medical cabinets and many other uses. Signs in luminous colours are perfect for conspicuous notices, warnings and promotions.



						10 sheets	20/25 sheets		100 sheets		Printer compatibility				
Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser		
Removable signs for indoor use (Movables® technology)															
Paper, removable without residue, adhere again															
105.0 x 148.0	white, Movables			4		100 5082				•	•	•	•		
199.6 x 143.5	white, Movables	✓	□	2		50 10020		200 10314		•	•	•	•		
210.0 x 297.0	white, Movables 3)			1		25 10021		100 10315		•	•	•	•		

**Extra-strong adhesive signage for indoor use****Paper, extremely strong adhesion**

210.0 x 148.0	white, extremely strong adhesion		▲	2			50 10910					•	•	•	•
210.0 x 297.0	white, extremely strong adhesion ³⁾		▲	1			25 10911					•	•	•	•

Movables® technology
Reliable adhesion, removable without residue – ideal for short-term notices

Colour signs for indoor use**Paper, permanent adhesion**

210.0 x 297.0	yellow ³⁾			1			20 4421			100 4401		•	•	•	•
210.0 x 297.0	red ³⁾			1			20 4422			100 4402		•	•	•	•
210.0 x 297.0	blue ³⁾			1			20 4423			100 4403		•	•	•	•
210.0 x 297.0	green ³⁾			1			20 4424			100 4404		•	•	•	•

Paper, permanent adhesion

210.0 x 297.0	luminous-yellow ³⁾			1			20 5148					•	•	•	•
210.0 x 297.0	luminous-red ³⁾			1			20 5048					•	•	•	•
210.0 x 297.0	luminous-orange ³⁾			1			20 5149					•	•	•	•
210.0 x 297.0	luminous-green ³⁾			1			20 5151					•	•	•	•



Colour signs
ideal for important notices, warnings and promotions

Sheet format A3**for laser printers, inkjet printers and copiers**


420.0 x 297.0	white, paper, permanent adhesion		▲	1						100 8692		•	•	•	•
---------------	----------------------------------	--	---	---	--	--	--	--	--	----------	--	---	---	---	---

for laser printers and copiers

420.0 x 297.0	transparent, film, clear			1			50 8694					•	•	•	•
420.0 x 297.0	white, film, weatherproof, extra strong adhesion						50 8695					•	•	•	•

Labels, perforated, with adhesive strip on back**Paper, fully adhesive or with adhesive strip**

210.0 x 99.0	white, perforated		▲	3						300 4664		•	•	•	•
--------------	-------------------	--	---	---	--	--	--	--	--	----------	--	---	---	---	---























Versatile
Can be used as a fully adhesive label or as a tag with the adhesive strip on the rear

Price labels – fast, flexible production

You get top-quality printing results and the stark contrast which is vital for bar-codes and small print, and all with the label of your choice.

- **Labels with Movable® technology** adhere firmly to all surfaces and peel off without leaving residue or damaging substrates, even on fragile surfaces
- **Power labels** offer the best possible protection against price tampering thanks to their extra-strong adhesion
- **Jewellery labels** are the perfect choice for price-tagging jewellery, glasses and other products of small diameter. The non-adhesive middle section allows the label to swivel around the object



Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	10 sheets		20/25 sheets		100 sheets		Printer compatibility			
						Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser		
Removable price labels (Movables® technology)															
Removable without residue, adhere again															
17.8 x 10.0	white, Movables			270			6750	10000				●	●	●	●
25.4 x 10.0	white, Movables			189			4725	10001				●	●	●	●
25.4 x 16.9	white, Movables			112			2800	4211				●	●	●	●
35.6 x 16.9	white, Movables			80			2000	10003				●	●	●	●
38.1 x 12.7	white, Movables			110			2750	4210				●	●	●	●
38.1 x 21.2	white, Movables			65			1625	4212				●	●	●	●
45.7 x 21.2	white, Movables			48			1200	4346				●	●	●	●
63.5 x 8.5	white, Movables			96			2400	4202				●	●	●	●
63.5 x 16.9	white, Movables			54			1200	10005				●	●	●	●
35.6 x 16.9	white, special shape, Movables			80			2000	10002				●	●	●	●



Removable
Price labels in special shapes

Power price labels, paper, extremely strong adhesion													
35.6 x 16.9	white, extremely strong adhesion	☐	80			2000	10901			•	•	•	•
38.1 x 21.2	white, extremely strong adhesion	☐	65			1625	10913			•	•	•	•
45.7 x 21.2	white, extremely strong adhesion	☐	48			1200	10902			•	•	•	•
48.3 x 25.4	white, extremely strong adhesion	☐	44			1100	10914			•	•	•	•

Jewellery labels, special perforation, non-adhesive middle section													
49.0 x 10.0	white, opaque	☐	60			1500	5116			•	•	•	•

270 17.8 x 10.0	189 25.4 x 10.0	112 25.4 x 16.9	80 35.6 x 16.9	110 38.1 x 12.7	65 38.1 x 21.2	48 45.7 x 21.2	44 48.3 x 25.4
96 63.5 x 8.5	54 63.5 x 16.9	80 35.6 x 16.9	60 49.0 x 10.0				



Jewellery labels
Ideal for pricing rings, watches, jewellery, glasses and small-diameter objects (e.g. cables)

☐ Sheet with border on all sides
☐ Rounded corners
▲ Label paper made of PEFC-certified raw materials

Robust tags – printable on both sides

Tags make great product and price labels for textiles. They are made of plastic-reinforced paper, are printable on both sides and quick and simple to detach thanks to the microperforations. The ready-punched hole permits easy attachment using thread, wire or string. Labelling pistols can also be used.

Thanks to their hard-wearing material, these tags are suitable for all applications in production, warehousing and dispatch.

- As shipping tags on security tape and lattice boxes
- For indicating material flows (tags accompanying merchandise)
- On pipes, wire, profiled sections, coils or spools
- Or for labelling large containers and workpieces




Label format (mm)	Description	Features	Labels/ sheet	10 sheets		20/25 sheets		100 sheets		Printer compatibility			
				Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser


Robust tags, non-adhesive, with punched hole

Paper/film/paper, easy to separate thanks to microperforation

30.0 x 37.0	white, non-adhesive				56			5600	8044	•	•	•	•
35.0 x 59.4	white, non-adhesive				30			3000	8046	•	•	•	•
42.0 x 70.0	white, non-adhesive				20			2000	6871	•	•	•	•
52.5 x 93.5	white, non-adhesive				12			1200	6872	•	•	•	•
70.0 x 148.0	white, non-adhesive				6			600	8047	•	•	•	•

**QR code labels, paper, opaque**

40.0 x 40.0	white, opaque	<input type="checkbox"/>	<input type="checkbox"/>	24		600	9642			•	•	•	•
80.0 x 40.0	white, opaque	<input type="checkbox"/>	<input type="checkbox"/>	12		300	9643			•	•	•	•



Ideal for mobile tagging
of URLs, telephone numbers,
addresses and text







When it comes to customised labelling of high-quality products and packages, HERMA has the ideal solution: labels made of transparent film – either matt or crystal-clear – and labels made of glossy gold and silver foil. They give products that extra-special look. High-gloss white labels are another option for attractive product tagging. Logos, brand designs or advertising messages are guaranteed to stand out. See pages 28 and 29 for details.


Neon labels and coloured labels: eye-catching and informative

They convey important information and attract attention:

- For mailings, warning notes or urgent memos
- Maximum impact for promotion campaigns, products and special offers
- For important notices in the warehouse, factory or logistics
- For drawing attention to important information on products, packaging and sales documents
- For colour identification of documents, samples, dispatch papers




						10 sheets	20/25 sheets		100 sheets		Printer compatibility			
Label format (mm)	Description		Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Neon labels														
Paper, permanent adhesion														
63.5 x 29.6		luminous-yellow			27			540	5140					
63.5 x 29.6		luminous-red			27			540	5045					
63.5 x 29.6		luminous-orange			27			540	5141					
63.5 x 29.6		luminous-green			27			540	5143					
99.1 x 67.7		luminous-yellow			8			160	5144					
99.1 x 67.7		luminous-red			8			160	5046					
99.1 x 67.7		luminous-orange			8			160	5145					
99.1 x 67.7		luminous-green			8			160	5147					
210.0 x 297.0		luminous-yellow ³⁾			1			20	5148					
210.0 x 297.0		luminous-red ³⁾			1			20	5048					
210.0 x 297.0		luminous-orange ³⁾			1			20	5149					
210.0 x 297.0		luminous-green ³⁾			1			20	5151					
ø 60		luminous-yellow			12			240	5152					
ø 60		luminous-red			12			240	5156					
ø 60		luminous-orange			12			240	5153					
ø 60		luminous-green			12			240	5155					



Luminous colours cannot be shown with their original intensity in the printed catalogue.

























Coloured labels


Paper, permanent adhesion															
25.4 x 10.0	yellow	☐	189					3780	4243			•	•	•	•
25.4 x 10.0	red	☐	189					3780	4244			•	•	•	•
45.7 x 21.2	yellow	☐	48					960	4366			•	•	•	•
45.7 x 21.2	red	☐	48					960	4367			•	•	•	•
45.7 x 21.2	blue	☐	48					960	4368			•	•	•	•
45.7 x 21.2	green	☐	48					960	4369			•	•	•	•
70.0 x 37.0	yellow		24					480	4466	2400	4406	•	•	•	•
70.0 x 37.0	red		24					480	4467	2400	4407	•	•	•	•
70.0 x 37.0	blue		24					480	4468	2400	4408	•	•	•	•
70.0 x 37.0	green		24					480	4469	2400	4409	•	•	•	•
105.0 x 37.0	yellow		16							1600	4256	•	•	•	•
105.0 x 37.0	red		16							1600	4257	•	•	•	•
105.0 x 37.0	blue		16							1600	4258	•	•	•	•
105.0 x 37.0	green		16							1600	4259	•	•	•	•



Put colour into your world
Yellow, red, blue and green labels are perfect for calling attention to information that mustn't be overlooked

- ☐ Sheet with border on all sides
 ☐ Rounded corners
³⁾ Peel-off aid on rear (4 incisions)


					10 sheets		20/25 sheets		100 sheets		Printer compatibility				
Label format (mm)	Description			Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Coloured labels															
Paper, permanent adhesion															
105.0 x 42.3		yellow				14		280	5058			●	●	●	●
105.0 x 42.3		red				14		280	5059			●	●	●	●
105.0 x 42.3		blue				14		280	5060			●	●	●	●
105.0 x 42.3		green				14		280	5061			●	●	●	●
105.0 x 148.0		yellow				4				400	4396	●	●	●	●
105.0 x 148.0		red				4				400	4397	●	●	●	●
105.0 x 148.0		blue				4				400	4398	●	●	●	●
105.0 x 148.0		green				4				400	4399	●	●	●	●
199.6 x 143.5		yellow				2		40	4496			●	●	●	●
199.6 x 143.5		red				2		40	4497			●	●	●	●
199.6 x 143.5		blue				2		40	4498			●	●	●	●
199.6 x 143.5		green				2		40	4499			●	●	●	●
210.0 x 297.0		yellow ³⁾				1		20	4421	100	4401	●	●	●	●
210.0 x 297.0		red ³⁾				1		20	4422	100	4402	●	●	●	●
210.0 x 297.0		blue ³⁾				1		20	4423	100	4403	●	●	●	●
210.0 x 297.0		green ³⁾				1		20	4424	100	4404	●	●	●	●



Special shapes: round, oval, square (Movables® technology)

Removable without residue, adhere again

ø 10	white, Movables	□	315		7875	4385		•	•	•	•
ø 20	white, Movables	□	96		2400	4386		•	•	•	•
ø 30	white, Movables	□	48		1200	4387		•	•	•	•
ø 40	white, Movables	□	24		600	5066	2400	4476	•	•	•
ø 60	white, Movables	□	12		300	5067	1200	4477	•	•	•
ø 85	white, Movables	□	6		150	5068	600	4478	•	•	•
40.6 x 25.4	white, oval, Movables	□	36		900	4380			•	•	•
63.5 x 42.3	white, oval, Movables	□	18		450	4358			•	•	•
25.4 x 25.4	white, square, Movables	✓	66		1650	10107			•	•	•
40.0 x 40.0	white, square, Movables	✓	24		600	10108			•	•	•
60.0 x 60.0	white, square, Movables	✓	12		300	10109			•	•	•



You'll find further formats in transparent, gold and silver on the pages 28 and 29.



Special shapes attract attention.
Labels in special shapes send out a special message. Ideal as advertising labels or corporate labels on sales articles and gift packs. Residue-free removal – without damaging the surface

Transparent labels with the no-label effect

Transparent labels from HERMA are virtually invisible – the inscription looks as if it is printed directly on the support. High-quality, professional look, very versatile.

Ideal for coloured backgrounds and applications where visual appearance is important, for example coloured envelopes and folders as well as for inscriptions on stylish documents, for drawers and cupboards; for identifying documents, notices on desktop accessories, and for identifying property and products.



					10 sheets	20/25 sheets		100 sheets		Printer compatibility			
Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Transparent labels, polyester film, matt													
48.3 x 25.4	transparent, film, matt	□	44			1100	4680			●	●		●
52.5 x 29.7	transparent, film, matt		40			1000	4684			●	●		●
66.0 x 33.8	transparent, film, matt	□	24			600	4681			●	●		●
70.0 x 37.0	transparent, film, matt		24			600	4685			●	●		●
97.0 x 42.3	transparent, film, matt	□	12			300	4682			●	●		●
210.0 x 148.0	transparent, film, matt		2			50	4683			●	●		●
210.0 x 297.0	transparent, film, matt ⁴⁾		1			25	4375	100	4376	●	●		●
ø 40	transparent, film, matt	□	24			600	4686			●	●		●



48.3 x 25.4	52.5 x 29.7	66.0 x 33.8	70.0 x 37.0	97.0 x 42.3	210.0 x 148.0	210.0 x 297.0	ø 40

Transparent labels, polyester film, crystal-clear, glossy															
45.7 x 21.2	transparent, film, clear	✓ □	48			1200	8016					•	•	•	•
63.5 x 38.1	transparent, film, clear	✓ □	21			525	8017					•	•	•	•
96.0 x 50.8	transparent, film, clear	✓ □	10			250	8018					•	•	•	•
99.1 x 139.0	transparent, film, clear	✓ □	4			100	8019					•	•	•	•
210.0 x 297.0	transparent, film, clear ⁴⁾		1			25	8020					•	•	•	•
ø 40	transparent, film, clear	□	24			600	8023					•	•	•	•
420.0 x 297.0	transparent, film, clear, A3		1			50	8694					•	•	•	•



Clear as crystal – stylish look
Crystal-clear labels made of glossy material are perfect on glass, shiny surfaces, plastic and metal

Transparent inkjet labels, polyester film, glossy															
210.0 x 297.0	transparent, film, clear ⁴⁾				1	10	8964						•		
45.7 x 21.2	63.5 x 38.1	96.0 x 50.8	99.1 x 139.0	210.0 x 297.0	ø 40.0	420.0 x 297.0									

□ Sheet with border on all sides
✓ Rounded corners
⁴⁾ Peel-off aid on reverse (1 cut)

					10 sheets	20/25 sheets		100 sheets		Printer compatibility			
Label format (mm)	Description	Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Labels in gold and silver film, polyester film, glossy													
30.5 x 16.9	gold, film	☐	96			2400	4100			●	●		●
48.3 x 25.4	gold, film	☐	44			1100	4102			●	●		●
63.5 x 38.1	gold, film	☐	21			525	4103			●	●		●
210.0 x 297.0	gold, film ⁴⁾	☐	1			25	4107			●	●		●
40.6 x 25.4	gold, film, oval	☐	36			900	4109			●	●		●
58.4 x 42.3	gold, film, oval	☐	18			450	4106			●	●		●
30.5 x 16.9	silver, film	☐	96			2400	4110			●	●		●
45.7 x 21.2	silver, film	☐	48			1200	4097			●	●		●
63.5 x 29.6	silver, film	☐	27			675	4098			●	●		●
63.5 x 38.1	silver, film	☐	21			525	4113			●	●		●
96.0 x 50.8	silver, film	☐	10			250	4099			●	●		●
99.1 x 67.7	silver, film	☐	8			200	4114			●	●		●
210.0 x 297.0	silver, film ⁴⁾	☐	1			25	4117			●	●		●
58.4 x 42.3	silver, film, oval	☐	18			450	4116			●	●		●



Refined, exclusive, glossy
Labels made of gold or silver foil give your lettering a glossy, stylish touch: for anniversary and celebration labels, presents or high-end product stickers

96	48	44	27	21	10	8	1
30,5 x 16,9	45,7 x 21,2	48,3 x 25,4	63,5 x 29,6	63,5 x 38,1	96,0 x 50,8	99,1 x 67,7	210,0 x 297,0
36	18						
40.6 x 25.4	58.4 x 42.3						

Gold and silver cannot be shown with their original metallic sheen in the printed catalogue.

High-gloss labels in glossy paper, for laser printers and copiers

63.5 x 38.1	white, glossy		21		525	4904		•	•	•	•
88.9 x 46.6	white, glossy		12		300	4906		•	•	•	•
96.0 x 63.5	white, glossy		8		200	4907		•	•	•	•
96.0 x 139.7	white, glossy		4		100	4908		•	•	•	•
199.6 x 143.5	white, glossy		2		50	4915		•	•	•	•
210.0 x 297.0	white, glossy ⁴⁾		1		25	4909		•	•	•	•
ø 116 Maxi	white, CD Maxi, glossy		2		50	4914		•	•	•	•











Rise and shine!
Glossy labels give an especially stylish appearance to brochures, catalogues, products and presentations

High-gloss labels for inkjet printers, photo quality

210.0 x 297.0	white, glossy ⁴⁾		1	10	8895			•	•	•	•
---------------	-----------------------------	--	---	----	------	--	--	---	---	---	---

Bottle labels, glossy paper for inkjet printers, photo quality

90.0 x 120.0		white, glossy		<input type="checkbox"/>	4	40	8882				•
											
63.5 x 38.1	88.9 x 46.6	96.0 x 63.5	96.0 x 139.7	199.6 x 143.5	210.0 x 297.0	Ø 116 Maxi	90.0 x 120.0				

















Give your bottles an individual touch
The high-quality glossy paper for inkjet printers delivers glossy photo quality. The labels dry instantly, are extremely wipe-resistant, lightfast and opaque

HERMA labels for outdoor use – when the going gets tough

When labels are used outdoors or in rugged applications, the material must be one hundred percent reliable. HERMA labels made of outdoor adhesive film with extra-strong adhesive strength prove what they're worth even in extreme conditions. They are weather-resistant, age-resistant and saltwater-resistant.

The label material consists of dirt-repellent, wet-wipeable polyethylene film. The labels have proved their quality in outdoor applications and wherever conditions are especially harsh. And you can really count on them whenever labels need to stick permanently – for example, labels with crucial product information, property labels, or hotline, security or warning notices.



					10 sheets		20/25 sheets		100 sheets		Printer compatibility				
Label format (mm)	Description			Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Outdoor labels, polyethylene film, weather-resistant, extremely strong adhesion															
45.7 x 21.2	white, film, matt			 	48	480	9531					●	●		●
63.5 x 33.9	white, film, matt			 	24	240	9532					●	●		●
99.1 x 42.3	white, film, matt			 	12	120	9533					●	●		●
99.1 x 139.0	white, film, matt			 	4	40	9534					●	●		●
210.0 x 148.0	white, film, matt			 	2	20	9535					●	●		●
210.0 x 297.0	white, film, matt			 	1	10	9500	50	9501			●	●		●
420.0 x 297.0	white, film, matt, A3			 	1			50	8695			●	●		●

45.7 x 21.2	63.5 x 33.9	99.1 x 42.3	99.1 x 139.0	210.0 x 148.0	210.0 x 297.0	420.0 x 297.0



Stretch film, closely hugs any surface, even curved ones. Can be written on with ballpoint, fountain pen, rollerball pen, pencil and overhead projector pen. Resistant to temperatures between -40° C and +150° C.

Hard-wearing labels, polyester film, extra strong adhesion													
48.3 x 25.4	white, film, matt	<input type="checkbox"/>	44			1100	4690			•	•	•	•
66.0 x 33.8	white, film, matt	<input type="checkbox"/>	24			600	4691			•	•	•	•
70.0 x 37.0	white, film, matt	<input type="checkbox"/>	24			600	4695			•	•	•	•
97.0 x 42.3	white, film, matt	<input type="checkbox"/>	12			300	4692			•	•	•	•
99.1 x 57.0	white, film, matt	<input checked="" type="checkbox"/>	10			250	8330			•	•	•	•
99.1 x 67.7	white, film, matt	<input checked="" type="checkbox"/>	8			200	8331			•	•	•	•
99.1 x 93.1	white, film, matt	<input checked="" type="checkbox"/>	6			150	8332			•	•	•	•
105.0 x 148.0	white, film, matt	<input type="checkbox"/>	4			100	4697			•	•	•	•
190.0 x 135.0	white, film, matt	<input checked="" type="checkbox"/>	2			50	8333			•	•	•	•
190.0 x 275.0	white, film, matt	<input checked="" type="checkbox"/>	1			25	8334			•	•	•	•
210.0 x 148.0	white, film, matt	<input type="checkbox"/>	2			50	4693			•	•	•	•
210.0 x 297.0	white, film, matt ⁴⁾	<input type="checkbox"/>	1			25	4698	100	8335	•	•	•	•
ø 85	white, film, matt	<input type="checkbox"/>	6			150	8336			•	•	•	•

































48.3 x 25.4	66.0 x 33.8	70.0 x 37.0	97.0 x 42.3	99.1 x 57.0	99.1 x 67.7	99.1 x 93.1	105.0 x 148.0
190.0 x 135.0	190.0 x 275.0	210.0 x 148.0	210.0 x 297.0	ø 85			




Ideal for exposure to harsh conditions
Resistant to weather and ageing; oil and dirt-repellent, tear-resistant, wet-wipeable, resistant to temperatures.

☐ Sheet with border on all sides
☒ Rounded corners

⁴⁾ Peel-off aid on reverse (1 cut)

						10 sheets		20/25 sheets		100 sheets		Printer compatibility			
Label format (mm)	Description		Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser	
Hard-wearing signalling labels/signs, polyester film, extra strong adhesion															
45.7 x 21.2		yellow, film, matt	 	48			1200	8030							
63.5 x 29.6		yellow, film, matt	 	27			675	8031							
105.0 x 148.0		yellow, film, matt		4			100	8032							
210.0 x 297.0		yellow, film, matt ⁴⁾		1			25	8033							
ø 30		yellow, film, matt		48			1200	8034							
ø 85		yellow, film, matt		6			150	8035							




**Extremely hard-wearing,
with high visibility**
Adhere even to critical sur-
faces securely and reliably.
Temperature- and ageing-
resistant

Weatherproof labels, impregnated special paper, extra strong adhesion

105.0 x 148.0	white, weather-proof			4				400	4377	•	•		
210.0 x 148.0	white, weather-proof			2				200	4378	•	•		
210.0 x 297.0	white, weather-proof ⁴⁾			1				100	4379	•	•		

Weatherproof inkjet film labels, strong adhesion

63.5 x 29.6	white, film, matt			27	270	4864						•	•		
210.0 x 297.0	white, film, matt ⁴⁾			1	10	4866						•	•		



Defying wind and weather –
thanks to waterproof ink

Security labels, white polyester film with anti-tamper facility


45.7 x 21.2	white, special adhesive			48				1200	4232			•	•		
63.5 x 29.6	white, special adhesive			27				675	4233			•	•		
ø 40	white, special adhesive			24				600	4234			•	•		

Unsuitable for materials that split easily (paper, cardboard etc.). Testing recommended for substrates with poor adhesion (e.g. polypropylene).
Minimum adhesion time: 30 min.

Seal labels, transparent polyester film, extremely strong adhesion

ø 40	transparent, film, matt			24				600	4236			•	•		
------	-------------------------	--	--	----	--	--	--	-----	------	--	--	---	---	--	--

Remove with care to avoid damaging the subsurface.



Absolutely tamper-proof
Seal labels are the ideal guar-
anteed seal. When they are
removed, a white grid pattern
separates from the label

Extra-strong adhesion – diverse range of applications

As packaging or original seal, e.g.
for bulk merchandise, mailings or
documents. Powerful adhesion,
even on critical or moist surfaces



HERMA Power labels: the labels of choice for difficult adhesion conditions

HERMA Power labels have twice the adhesive strength of conventional paper labels, even on moist, warm, cold, rough or dusty surfaces. For indoor use.

For reliable labelling of products, documents and objects in inventories, for safety messages, warning messages, wrap-around labels, test badges or seal labels. And of course, they are friendly to the environment: made of chlorine-free bleached, PEFC-certified paper with solvent-free adhesive.



					10 sheets	20/25 sheets	100 sheets	Printer compatibility					
Label format (mm)	Description	Features	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser
Power labels, paper, extra-strong adhesion													
35.6 x 16.9	white, extremely strong adhesion	☐	80			2000	10901			•	•	•	•
38.1 x 21.2	white, extremely strong adhesion	☐	65			1625	10913			•	•	•	•
45.7 x 21.2	white, extremely strong adhesion	☐	48			1200	10902			•	•	•	•
48.3 x 25.4	white, extremely strong adhesion	☐	44			1100	10914			•	•	•	•
63.5 x 29.6	white, extremely strong adhesion	☐	27			675	10903			•	•	•	•
70.0 x 36.0	white, extremely strong adhesion	☐	24			600	10905			•	•	•	•
70.0 x 42.3	white, extremely strong adhesion	☐	21			525	10906			•	•	•	•
97.0 x 42.3	white, extremely strong adhesion	☐	12			300	10907			•	•	•	•
105.0 x 48.0	white, extremely strong adhesion	☐	12			300	10908			•	•	•	•
105.0 x 148.0	white, extremely strong adhesion	☐	4			100	10909			•	•	•	•
210.0 x 148.0	white, extremely strong adhesion	☐	2			50	10910			•	•	•	•
210.0 x 297.0	white, extremely strong adhesion ³⁾	☐	1			25	10911			•	•	•	•
ø 30	white, extremely strong adhesion	☐	48			1200	10915			•	•	•	•

35.6 x 16.9	38.1 x 21.2	45.7 x 21.2	48.3 x 25.4	63.5 x 29.6	70.0 x 36.0	70.0 x 42.3	97.0 x 42.3
105.0 x 48.0	105.0 x 148.0	210.0 x 148.0	210.0 x 297.0	∅ 30			



Perfect for rough or dusty surfaces



Ideal for textured and uneven surfaces



Quick, strong adhesion – even on curved surfaces




































Rating plates: for permanent, dependable labelling of inventory and parts

These silver labels are ideal for the permanent labelling of components and rating plates and for use in inventories. They have extra strong adhesion, even on critical surfaces. The matt foil is weatherproof and resistant to ageing. It repels oil and dirt, is wet-wipeable, and resistant to temperatures between -40 °C and +150 °C. See p. 22.


- ☐ Sheet with border on all sides
- ☐ Rounded corners
- ▲ Label paper made of PEFC-certified raw materials

Suitable for INTERNETMARKE®:
1<3> with recipient's address

3) Peel-off aid on rear (4 incisions)

						10 sheets		20/25 sheets		100 sheets		Printer compatibility			
Label format (mm)	Description		Fea- tures	Labels/ sheet	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Labels/ pack	Ref. no.	Laser	Copy	Ink	Colour laser	
Name/textile labels, artificial silk															
63.5 x 29.6		white			27		675	4411							
63.5 x 29.6		white, with red stripe			27		675	4418							
63.5 x 29.6		white, with blue stripe			27		675	4419							
80.0 x 50.0		white, individually detachable*			10		200	4412							
88.9 x 33.8		white			16		400	4420							
199.6 x 143.5		white			2		50	4413							

Caution: these labels should not be applied to fine leather or textiles such as silk or velvet as they may leave marks.



* The labels are perforated on the back, allowing them to be removed with their backing from the sheet after printing and used individually.




Flexible textile material – adhere firmly, easy to remove
Name labels for seminars, conferences, trade fairs. They can also be used for labelling fabrics, carpets and mattresses



Inserts for name badges, cardboard, non-adhesive


75.0 x 40.0	white, perforated	☐	14			350	9010			•	•	•	•
90.0 x 54.0	white, perforated	☐	10			250	9011			•	•	•	•
90.0 x 60.0	white, perforated	☐	8			200	9012			•	•	•	•



Inserts for name badges
Made of cardboard, with high-white, coated surface and high opacity. Microperforation permits easy removal from the sheet

Deep-freeze labels


38.1 x 21.2	white	☐	65			1625	4388			•	•	•	•
66.0 x 33.8	white	☐	24			600	4389			•	•	•	•



Maximum adhesion temperature of frozen packs: -25°C. Resistant between -60 °C and +60 °C
Ideal for labelling deep-freeze bags and for recording the contents and eat-by dates for refrigerated foods

Correction/covering labels, opaque special paper

48.3 x 16.9	white, opaque	☐	64			1600	4226			•	•	•	•
64.6 x 33.8	white, opaque	☐	24			600	4227			•	•	•	•
97.0 x 42.3	white, opaque ^{1c)}	☐	12			300	4228			•	•	•	•
105.0 x 148.0	white, opaque ^{1c)}	☐	4			100	4229			•	•	•	•
210.0 x 297.0	white, opaque ³⁾	☐	1			25	4230			•	•	•	•



Fully opaque – nothing shines through
Unwanted inscriptions are completely masked. Ideal for pasting over, covering or correcting texts and images

CD labelling set

Easy and professional designing of CD labels.

Complete package: CD labels + software. Convenient predefined formats for all HERMA labels.

- Numerous tools for designing texts (e.g. circular text and banner headlines), also in colour
- Automatic read-in of file structures
- Extensive image processing options
- Direct scanning of images, graphic import
- Comprehensive alignment functions
- Various layouts on one sheet
- Exact printer adjustment for accurately positioned print-outs
- OLE features: data from standard Windows programs can be used directly (e.g. CorelDRAW, WordArt)
- With many clipart objects, photo files and examples
- For Windows XP/Vista/Windows 7
- Detailed manual on CD-ROM, context-sensitive online help

Description	Ref. no.
50 CD labels, 116 mm maxi, white + software	8381

See pages 16 and 17 for an overview of CD labels.



Software in German, English, French, Dutch, Italian, Spanish and Portuguese – on one CD!

Labelling set for files

Easy and professional designing of file spine labels.

Complete package: file spine labels + software. Functional and efficient, with almost unlimited design features. Convenient predefined formats for all HERMA labels.

- Numerous tools for designing texts (e.g. banner headlines and text rotation), also in colour
- Colour progressions, frames, lines, stars, ...
- Using of company logos
- Highlighting using graphics
- Counter function for automatic numbering of lever arch files
- Comprehensive alignment functions
- Arrangement of various layouts on one sheet
- Exact printer adjustment for accurately positioned print-outs
- For Windows XP/Vista/Windows 7
- Detailed manual on CD-ROM, context-sensitive online help

Description	Ref. no.
100 labels for wide files, 192 x 61 mm, white	8373

See page 13 for an overview of file spine labels.



Software in German, English, French, Dutch, Italian, Spanish and Portuguese – on one CD!

Label Designer plus version 3.0, GOLD EDITION

The professional label software with a wider range of functions.

Design your own labels and make flawless print-outs. You'll be amazed how easy it is to realise your ideas. That's because this professional label software for Windows XP/Vista/Windows 7 allows you to do almost anything. With a detailed manual, online help and many layout examples. All HERMA formats are predefined, and individual formats can be added. It couldn't be easier.

- Data and graphics import
- Barcodes, serial numbers
- Circular text, banner lettering, colour progressions
- Image processing
- Exact printer adjustment for accurately positioned print-outs
- Format update via Internet

Description	Ref. no.
Label Designer plus 3.0 (German)	8341
Label Designer plus 3.0 (International*)	8347



* German, English, French, Dutch, Italian, Spanish, Portuguese



System requirements:

Windows XP/VISTA/Windows 7
Pentium 120 MHz or higher,
resolution 800x600 (16-bit),
150 MB free hard disk space,
CD-ROM drive, printer, single-
user installation (with network
capability)

Windows is a registered trademark of the Microsoft Corporation.

Our service is on stand-by around the clock. Just a click away.

At www.herma.com/software you'll find innovative software solutions for all label formats. Design your labels on the Internet free of charge with HERMA LabelAssistant online – or opt for HERMA LabelAssistant for Word.

HERMA LabelAssistant online.

Design your own labels with ease

- No programme to download, no software to install, ideal for corporate networks and private consumers
- Select a format, design a label, print PDF – done
- Large selection of individually modifiable design templates
- Barcode and serial numbers can be generated from Excel; mail merge from Excel also possible
- Efficient template management: save templates online and share them with colleagues and friends
- Labels in your company design: create labels quickly and easily with the Corporate Design Generator



www.herma.com/online-software

HERMA LabelAssistant for Word.

A convenient aid to creating labels in Microsoft Word, Access, Outlook and Excel. Numerous additional functions broaden the spectrum of possibilities for designing your own labels: for example, barcodes, graphics and circular text. Full-screen mode for simple label design. You can even design round and oval labels. For Microsoft Office 2010, 2007 and 2003.

Format templates for all current graphics and word-processing programs.

Templates can be used in your usual software without installation.

Available for Microsoft Word, Quark XPress, InDesign, Freehand, Illustrator, CorelDraw, Ragtime and Wordperfect.

Free download
www.herma.com/software

The shortest path to the right label

Have you found the labels you need for your application? You can get around-the-clock help from HERMA over the Internet. HERMA LabelScout – your virtual label consultant will guide you to the label you need with a few clicks. Try it out!



HERMA LabelScout.

The best label advisor is online.

- users can find the right label in seconds
- check boxes permit selection of products
- multiple entries permitted
- selections can be made in any order required
- provides access to the entire HERMA label range

www.herma.com/scout

If you have special questions about our product range or applications, or if you have any suggestions, our product specialists will be glad to help. You can contact them at the e-mail address below.

info.buero@herma.com

HERMA GmbH
Fabrikstraße 16
70794 Filderstadt
Germany
www.herma.com/office
info.buero@herma.com

